

CONFIDENTIAL

CE 57 0316

THIS DOCUMENT CONSISTS OF 2 PAGES 25X1
COPY NUMBER 2 OF 5 COPIES SERIES A11/09/57**FINANCIAL & STATUS REPORT****AUGUST, 1957****U. S. - 132****TASK III**

by



25X1

"This document contains information affecting the national defense of the United States within the meaning of the Espionage Laws, Title 18 U.S.C., Sections 793 and 794. Its transmission or the revelation of its contents in any manner to an unauthorized person is prohibited by law."

DOC <u>03</u>	REV DATE <u>18 JUL 1960</u>	BY <u>018373</u>
ORIG COMP <u>56</u>	OPI <u>56</u>	TYPE <u>03</u>
ORIG CLASS <u>S</u>	PAGES <u>6</u>	REV CLASS <u>C</u>
JUST <u>22</u>	NEXT REV <u>2010</u>	AUTH: HR 30-2

THIS DOCUMENT CONTAINS INFORMATION AFFECTING THE NATIONAL DEFENSE OF THE UNITED STATES WITHIN THE MEANING OF THE ESPIONAGE LAWS, TITLE 18 U.S.C., SECTIONS 793 AND 794. ITS TRANSMISSION OR THE REVELATION OF ITS CONTENTS IN ANY MANNER TO AN UNAUTHORIZED PERSON IS PROHIBITED BY LAW.

CONFIDENTIAL**SECRET**

92-37-15 25X1

25X1


SECRET

0E57 0316

I. FINANCIAL

Amount Authorized	\$5,000
Funds Expended (As of September 1, 1957)	2,356
Funds Committed	206
Funds Remaining	2,438

II. STATUS

Investigation of Remote Control Problem

The general characteristics of the desired operational sequence were determined and various proposals to obtain these characteristics were examined.

The previous successful use of 720 cps as a control signal for off peak load scheduling on distribution systems has led to an investigation of the feasibility of the use of this frequency for the present purpose.

An investigation was made to determine means of coupling the 720 cps signal into the power line. The 720 cps characteristics of the lab power distribution system were explored. A 720 cps off peak load water heater control switch was obtained and its operating principles evaluated.

A dual time constant thermistor bridge, to be used in conjunction with a frequency selective pilot relay was developed to afford immunity from transients and to obtain the desired automatically synchronized operational sequence.


Sept. 11, 1957
25X1
SECRET

25X1

92-37-17

CE 57 0316

SECRET

THIS DOCUMENT CONSISTS OF ...2... PAGES
COPY NUMBER...4...OF...6...COPIES SERIES.A...

25X1

FINANCIAL & STATUS REPORT

AUGUST, 1957

U. S. - 132

TASK III

by

25X1

"This document contains information affecting the national defense of the United States within the meaning of the Espionage Laws, Title 18 U.S.C., Sections 793 and 794. Its transmission or the revelation of its contents in any manner to an unauthorized person is prohibited by law."

25X1

SECRET

92-37-19

SECRET

CE 57 0316 25X1

CONFIDENTIAL

I. FINANCIAL

Amount Authorized	\$5,000
Funds Expended (As of September 1, 1957)	2,356
Funds Committed	206
Funds Remaining	2,438

II. STATUS

Investigation of Remote Control Problem

The general characteristics of the desired operational sequence were determined and various proposals to obtain these characteristics were examined.

The previous successful use of 720 cps as a control signal for off peak load scheduling on distribution systems has led to an investigation of the feasibility of the use of this frequency for the present purpose.

An investigation was made to determine means of coupling the 720 cps signal into the power line. The 720 cps characteristics of the lab power distribution system were explored. A 720 cps off peak load water heater control switch was obtained and its operating principles evaluated.

A dual time constant thermistor bridge, to be used in conjunction with a frequency selective pilot relay was developed to afford immunity from transients and to obtain the desired automatically synchronized operational sequence.

25X1

CONFIDENTIAL

SECRET

25X1

93-37-19